ENGLISH VERSION OF THE CERTIFICATE IN PUNJABI

OFFICE OF EXECUTIVE ENGINEER

WATER SUPPLY AND SANITATION DIVISION No. 2 PATHANKOT.

E-mail:-eewss.pathankot2@gmail.com

	Phone No. 0186-	Phone No. 0186-					
То							
	District Education Officer(S.C). Pathankot.						
	Memo. No Dated:						
Subject :	Regarding issue of Public Health Services certificate to The Shishya School Jug Road, Pathankot.	gial					
Ref.	In reference to your letter No. 111986 dated 28.4.2025.						
Health Serv while inspects is issued t	In connection with the subject cited above, Sub Divisional Engineer, Ward Sanitation Sub Division No.3 Pathankot has sent report to this office that Publices work of The Shishya School Jugial Road, Pathankot, has found satisfactor ection. So No Objection Certificate from dated 29.05.2025 to 31.03.202 to The Shishya School Jugial Road, Pathankot. It is also clarified that if during the k of public health services is not found satisfactory then this certificate shall encellation.	olic ory 26 his					
	Sd/- Executive Engineer J/S And Sanitation Division, No. 2 Pathankot.						
Endorsemen	nt No. Dated:						
No.3 Pathan and necessa	Copy is forwarded to Sub Divisional Engineer, J/S And Sanitation Sub Divisional Engineer, J/S And Sanitation Sub Division No. 1 of their office letter No. 2 of t	on on					
Endorsemen	nt No. 1757 Dated 04.06.2025						
information.	Copy is forwarded to The Shishya School Jugial Road, Pathankot for	or					
Note: To ma	ake ensure that water tank and water cooler installed in the school are cleaned.	ed					

Sd/-

Exective Engineer

Pathankot.

J/S And Sanitaion Division No.2

Principal Palankot PFIND 29 JUL 20 Jugial Road, Pathankot

from-Puniar

Mánager The Shishya School Jugial Road, Pathankot



ਦਫ਼ਤਰ ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ ਜਲ ਸਪਲਾਈ ਅਤੇ ਮੈਨੀਟੇਸ਼ਨ ਮੰਡਲ-2, ਪਠਾਨਕੋਟ।

धी-भिरु := eqwss.pathankot2/agmsil.com

17.1 (2)

ਜ਼ਿਲ੍ਹਾ ਸਿੱਖਿਆ ਅਫਸਰ (ਐ.ਸਿ).

ਪਠਾਨਕੋਟ।

ਮੀਮ ਨੂੰ

6131

ਵਿਸ਼ਾ :

The Shishya School Jugial Road, Pathankot ਦਾ ਜਨ ਸਿਹਤ ਸੇਵਾਵਾਂ ਦਾ ਸਰਟੀਫਿਕੇਟ

ਜਾਰੀ ਕਰਨ ਸਬੰਧੀ।

ਹਵਾਲਾ:-

ਆਪ ਦੇ ਦਫ਼ਤਰ ਦਾ ਪਤੱਰ ਨੰ: 111986 ਮਿਤੀ 28-04-2025

ਉਪਰੋਕਤ ਹਵਾਲੇ ਅਧੀਨ ਪਤੱਰ ਦੇ ਸਬੰਧ ਵਿੱਚ ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ, ਜਲ ਸਪਲਾਈ ਅਤੇ ਸੈਨੀਟੇਸਨ ਉਪ ਮੰਡਲ ਨੰ 3, ਪਠਾਨਕੋਟ ਨੇ ਇਸ ਦਫਤਰ ਨੂੰ ਰਿਪੋਰਟ ਭੇਜੀ ਹੈ ਕਿ The Shishya School Jugial Road, Potnacion ਦੇ ਨਿਰੀਖਣ ਦੌਰਾਨ ਜਨ ਸਿਹਤ ਸੇਵਾਵਾਂ ਦਾ ਕੰਮ ਤਸਲੀਬਖਸ ਪਾਇਆ ਗਿਆ ਹੈ। ਇਸ ਲਈ The Shishya School Jugial Road, Pathankot ਦਾ ਇਤਰਾਜਹੀਣਤਾ ਸਰਟੀਫਿਕੇਟ ਮਿਤੀ 29-05-2025 ਤੋਂ 31-03-2026 ਤੱਕ ਦਾ ਜਾਰੀ ਕੀਤਾ ਜਾਂਦਾ ਹੈ। ਇਥੇ ਇਹ ਵੀ ਸਪੱਸ਼ਟ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਜੇਕਰ ਇਸ ਸਮੇਂ ਦੌਰਾਨ ਜਨ ਸਿਹਤ ਸੇਵਾਵਾਂ ਦਾ ਕੰਮ ਤਸਲੀਬਖਸ ਨਾ ਪਾਇਆ ਗਿਆ ਤਾਂ ਇਤਰਾਜ਼ ਹੀਣਤਾ ਸਰਟੀਫਿਕੇਟ ਰੱਦ ਕਰ ਉੱਤਾ ਜਦੇਵਾਂ ਦਾ ਕੰਮ ਤਸਲੀਬਖਸ ਨਾ ਪਾਇਆ ਗਿਆ ਤਾਂ ਇਤਰਾਜ਼ ਹੀਣਤਾ ਸਰਟੀਫਿਕੇਟ ਰੱਦ ਕਰ ਉੱਤਾ ਜਦੇਵਾਂ ਦਾ ਕੰਮ ਤਸਲੀਬਖਸ

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ, ਜ/ਸ ਅਤੇ ਸੈਨੀਟੇਸ਼ਨ ਮੰਡਲ ਨੰ.2, ਪਠਾਨਕੋਟ ।

ਪਿੱਠ ਅੰਕਣ ਨੂੰ ਮਿਤੀ :

ਪਠਾਨਕੱਟ ਨੂੰ ਉਹਨਾਂ ਦੇ ਪੱਤਰ ਨੰਬਰ 996 ਮਿੜੀ 26-05-2025 ਦੇ ਹਵਾਲੇ ਵਿੱਚ ਸਚਨਾ ਅਤੇ ਹਵਾਈ ਇੰਸ਼ੀਨੀਅਰ ਜਾਂਦੀ ਹੈ।

ਕਾਰਜਕਾਰੀ ਇੰਜ਼ੀਨੀਅਰ, ਜ∠ਸ ਅਤੇ ਸੈਨੀਟੇਸ਼ਨ ਮੰਡਲ ਨੰ2.

ਪਿੱਠ ਅੰਕਣ ਨੂੰ

1757

ਮਿਤੀ: 04-06-9025 ਪਠਾਨਕੋਟ।

ੇ ਉਪਰੋਕਤ ਦੀ ਨਕਲ *The Shishya School Jugial Road, Pathankot* ਨੂੰ ਸੂਚਨਾ ਹਿੱਤ ਭੇਜੀ ਜਾਦੀ ਹੈ

ਨੇਂਟ :- ਹਰ ਮਹੀਨੇ ਸਕੂਲ ਵਿਖੇ ਲੱਗੀ ਪਾਣੀ ਦੀ ਟੈਕੀ/ਵਾਟਰ ਕੂਲਰ ਸਾਫ ਕਰਵਾਉਣਾ ਯਕੀਣੀ ਬਣਾਇਆ ਜਾਵੇ।

ਕਾਰਜਕਾਰੀ -ਇੰਜੀਨੀਅਰ. ਜ/ਸ ਅਤੇ ਸੈਨੀਟੇਸਨ ਮੰਡਲ ਨੂੰ 2.

ਪਠਾਨਕੋਟ ਹੈ

Manager

The Shishya School Jugial Road, Pathankot

Principal
The Shishya School
Jugial Road, Pathankol

DISTRICT WATER TESTING LABORATORY, PATHANKOT

District Administrative Complex, 1st Floor, D Block, Room No.235, Pathankot. dwtlptk1@gmall.com



r. Parameter Result pH 7.0@25°C 6.5-8.5 No Relaxation Colour 1 5 15 CU IS 3025 (Part 1-2022) Electrometric Method Agreeable Agreeable Agreeable Feature State St		•						16.112/2	
The Shishya School he Shishya School Jugial Pathankot Sample Submitted by Date of Sample Receipt Analysis Starting Date Analysis Starting Dat					TEST RE	PORT			
Sample Submitted by Date of Sample Receipt 14/05/2025 14/05/2025 14/05/2025 14/05/2025 14/05/2025 14/05/2025 14/05/2025 14/05/2025 14/05/2025 14/05/2025 14/05/2025 14/05/2025 14/05/2025 15/05/2025 15/05/2025 15/05/2025 15/05/2025 15/05/2025 15/05/2025 15/05/2025 15/05/2025 15/05/2025 16/05/20			stomer:		-			5/2025	
Date of Sample Receipt Analysis Starting Date Analysis Starting Date Analysis Starting Date Analysis completion Date 15/05/2025 15/05/		Control of the contro	glal .Pathanko	. 🗸 '					
Analysis completion Date 15/05/2025 15/05/2025	January January P				1				
					Analysis St	arting Dat			
Description			_		Analysis completion Date		c 15/05/2025		
DWILPTK/2526/00045 DWILPTK/2526/00045 Date of Issue: District: Doom I/ Plastic Bottles The Shishya School Jugial / NA District: Pathankot Not Mentioned District: Pathankot Not Mentioned Not Mentioned As per Is-10500:2012 (2nd Rev.) Acceptable Limit Limit District: District: District: District: District: District: District: District: Date of Issue: District: Date of Issue: District: Date of Issue: Date of I	Dis	cipline: Chemical To	esting		Group: Wa				
Condition of Sample Condition Condition of Sample Condition Condit			797500000107F		Sample Type :				
Collection Point: Private Submersible Collection Private Submersible Private Submersible Collection Private Submersible Collection Private Submersible Collection Private Submersible Private Submersible Collection Private Submersible Collection Private Submersible Private Submersible Collection Private Submersible Private Submersible Collection Private Submersible Collection Private Submersible Private Submersible Collection Private Submersible Private S		DWTL	PTK/2526/00045		Date of issue.				
Collection Point: Private submirished Collection Pathankot Pathankot Not Mentioned Pathankot Not Mentioned Not Mentioned Not Mentioned Not Mentioned Not Mentioned Pathankot Not Mentioned Not	Reg	stration no.: ,DWTL	PTK/REG2526/00	0130	Condition of	Sample :			
Habitation : Jugial District : Pathankot District : Pathankot Not Mentioned District : Pathankot Not Mentioned Not Mentioned Not M	Col	lection Point: Privat	e Submersible		Quantity/Ty	pe of Bott			
District Pathankot Not Mentioned District Pathankot Not Mentioned	Sch	eme/Source: Jugial(Not Mentioned)		Location/De	pth:			
Not Mentioned District Not Mentioned Longitude: Not Mentioned Not	Villa	age · Jugial			Maditation.				
As per IS-10500:2012 (2nd Rev.)									
Parameter Result Result Reference Method Reference Reference Method Reference Reference Method Reference Reference Reference Reference Method Reference Reference Method Reference Referen	ati	lude . Not Mo	entioned				Not Mentioned		
Parameter									
Acceptable Limit	Sr. Danneston		Posult			Unit	Reference Method:		
Colour 1 5 15 CU IS 3025 (Part 4-2021) Visual Comparison Metho Odour Agreeable Agreeable Agreeable IS 3025 (Part 5 - 2018) (Second Revision) Taste Agreeable Agreeable IS 3025 (Part 16-2023) Gravimetric Method Turbidity BDL@25°C 1 5 NTU IS 3025 (Part 10-2023) Nephelometric Method Alkalinity(CaCO3) 144 200 600 mg/l IS 3025 (Part 23-2023) Indicator Method IS 3025 (Part 23-2023) Indicator Method Godo Mg/l IS 3025 (Part 21-2009) (RA 2023) EDTA Method IS 3025 (Part 40-2024) EDTA Itrimetric Method Galcium; Ca) 32.06 75 200 mg/l IS 3025 (Part 40-2024) EDTA Itrimetric Method Galcium; Ca) 32.06 75 200 mg/l APHA (24th Ed.2023) Method: 3500-Mg+2 B By	No	Parameter	Kesuit		1				
Colour 1 5 15 CU IS 3025(Part 4-2021) Visual Comparison Metho Odour Agreeable Agreeable IS 3025 (Part 5 - 2018) (Second Revision) Taste Agreeable Agreeable IS 3025 (Part 8 - 2023) TDS 320 500 2000 mg/l IS 3025 (Part 16-2023) Gravimetric Method Turbidity BDL@25°C 1 5 NTU IS 3025 (Part 10-2023) Nephelometric Method Alkalinity(CaCO3) 144 200 600 mg/l IS 3025 (Part 23-2023) Indicator Method Hard VCaCO3) 160 200 600 mg/l IS 3025 (Part 21- 2009)(RA 2023) EDTA Method Calcium;Ca) 32.06 75 200 mg/l APHA (24th Ed.2023) Method: 3500-Mg+2 B By	,	nH	7.0@25°C	6.5-8.5	No Relaxation				
Odour Agreeable Agreeable	2	•	1	5	15	CU			
Taste Agreeable Agreeable IS 3025 (Part 8 – 2023) TDS 320 500 2000 mg/l IS 3025 (Part 16-2023) Gravimetric Method Turbidity BDL@25°C 1 5 NTU IS 3025 (Part 10-2023) Nephelometric Method Alkalinity(CaCO3) 144 200 600 mg/l IS 3025 (Part 23-2023) Indicator Method Hand (CaCO3) 160 200 600 mg/l IS 3025 (Part 21- 2009)(RA 2023) EDTA Method Calcium;Ca) 32.06 75 200 mg/l IS 3025 (Part 40-2024) EDTA Fitrimetric Method Calcium;Ca) 19.44 30 100 mg/l APHA (24th Ed.2023) Method: 3500-Mg+2 B By	3		Agreeable	Agreeable	Agreeable		IS 3025 (Part 5 – 2018)	(Second Revision)	
TDS 320 500 2000 mg/l IS 3025 (Part 16-2023) Gravimetric Method Turbidity BDL@25*C 1 5 NTU IS 3025 (Part 10-2023) Nephelometric Method Alkalinity(CaCO3) 144 200 600 mg/l IS 3025 (Part 23-2023) Indicator Method Hadder (CaCO3) 160 200 600 mg/l IS 3025 (Part 21- 2009)(RA 2023) EDTA Method Calcium; Ca) 32.06 75 200 mg/l IS 3025 (Part 40-2024) EDTA Fitrimetric Method Calcium; Ca) 19.44 30 100 mg/l APHA (24th Ed.2023) Method: 3500-Mg+2 B By	4			Agreeable	Agreeable		IS 3025 (Part 8 – 2023)		
Turbidity BDL@25°C 1 5 NTU IS 3025 (Part 10-2023) Nephelometric Method Alkalinity(CaCO3) 144 200 600 mg/l IS 3025 (Part 23-2023) Indicator Method IS 3025 (Part 21-2009) (RA 2023) EDTA Method IS 3025 (Part 21-2009) (RA 2023) EDTA Method IS 3025 (Part 40-2024) EDTA Intrimetric Method Calcium; Ca) 32.06 75 200 mg/l IS 3025 (Part 40-2024) EDTA Intrimetric Method IS 3025 (Part 40-2024) EDTA Intrimetric	5			500	2000	mg/l	IS 3025 (Part 16-2023)	iravimetric Method	
Alkalinity(CaCO3) 144 200 600 mg/l IS 3025 (Part 23-2023) Indicator Method Howard (CaCO3) 160 200 600 mg/l IS 3025 (Part 21- 2009)(RA 2023) EDTA Method Calcium; Ca) 32.06 75 200 mg/l IS 3025 (Part 40-2024) EDTA Fitrimetric Method mg/l APHA (24th Ed.2023) Method: 3500-Mg+2 B By	5		BDL@25°C	1	5	NTU			
Hard (CaCO3) 160 200 600 mg/l IS 3025 (Part 21- 2009)(RA 2023) EDTA Method IS 3025 (Part 40-2024) EDTA Fitrimetric Method	- 1			200	600	mg/l	IS 3025 (Part 23-2023) Indicator Method		
Calcium; Ca) 32.06 75 200 mg/l IS 3025 (Part 40-2024) EDTA litrimetric Method mg/l APHA (24th Ed.2023) Method: 3500-Mg+2 B By	•			200	600	mg/l			
19 44 30 100 mg/l APHA (24th Ed.2023) Method: 3500-Mg+2 B By		And the		75	200	mg/l	3025 (Part 40-2024) EDT	A Titrimetric Method	
	2 4			30	100	mg/l			

Chloride(Cl) This Peport is issued under the following terms & Condition

1 The results apply to the sample as received only.

/ The sample will be destroyed after retention time unless otherwise specified specially.

3. This report is not to be reproduce wholly or in part and can't beused be as evidence in court of law.

4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association. IS = Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association. IS = Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association. IS = Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association. IS = Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association. IS = Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association. IS = Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association. IS = Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association. IS = Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association. IS = Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association. IS = Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association. IS = Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association. IS

1000

C Temperature condition limit 25±5°C and Humidity condition limit:50 ±20%

Reviewed and Approved By

IS 3025 (Part 32-1988) Argentometric Method

Mr. Pankaj Kumar Quality Manager **Authorized Signatory**

For, District Water Testing Laboratory

Pathankot

Principal The Shishya School Jugial Road, Pathankot

End of the Test Report

Manager

The Shishya School Jugial Road, Pathankot